Red Lake County, Minnesota

[Absence of an entry indicates that data were not estimated]

	5		Potential for habitat elements								Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life			
B109A:											_			
Bowstring, mlra 88, frequently flooded	45	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good			
Fluvaquents, mlra 88, frequently flooded	40	Very poor	Poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good			
B200A:														
Garnes	70	Good	Good	Good	Good	Fair	Poor	Poor	Good	Good	Poor			
B201A:														
Chilgren	75	Fair	Good	Fair	Fair	Fair	Good	Fair	Fair	Good	Fair			
B202A:														
Cathro, depressional, mlra 88	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good			
B203A:														
Northwood, depressional, mlra 88	75	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good			
B204A:														
Roliss, mlra 88	75	Fair	Good	Fair	Fair	Fair	Good	Fair	Good	Fair	Fair			
B205A:														
Berner, depressional, mlra 88	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good			



Management	Datest			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
B206A:												
Hamre, depressional, mlra 88	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I1A:												
Augsburg	75	Fair	Good	Fair	Fair	Poor	Fair	Fair	Good	Fair	Fair	
I2A:												
Augsburg	75	Good	Good	Fair	Poor	Fair	Good	Good	Good	Fair	Good	
I3A:												
Berner	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I4A:												
Berner, seepy	30	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
Rosewood, seepy, depressional	30	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
Strathcona, seepy, depressional	30	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I5A:												
Borup	75	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Fair	
I6A:												
Borup	75	Fair	Fair	Good	Poor	Fair	Good	Good	Fair	Fair	Good	



Management	Dat of			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I7A:												
Bowstring, frequently flooded	45	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
Fluvaquents, frequently flooded	45	Very poor	Poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
I8A:												
Cathro	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I9A:												
Clearwater	80	Poor	Poor	Fair	Fair	Fair	Good	Good	Good	Fair	Good	
I10A:												
Clearwater, depressional	85	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I11A:												
Deerwood	85	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
I12A:												
Eckvoll	70	Fair	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor	
I13A:												
Espelie	75	Fair	Good	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
I14B:												
Fairdale	85											



Management	Det et			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I14D:												
Fairdale, occasionally flooded	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
I15A:												
Flaming	70	Fair	Fair	Good	Fair	Fair	Fair	Poor	Fair	Fair	Poor	
I16F:												
Fluvaquents, frequently flooded	55	Very poor	Poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
Hapludolls, rarely flooded	25	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
I17A:												
Foldahl	75	Good	Good	Good	Good	Fair	Poor	Poor	Good	Fair	Poor	
I18A:												
Foldahl	75	Fair	Good	Good	Good	Fair	Poor	Poor	Good	Fair	Poor	
I19A:												
Foxhome	65	Good	Good	Good	Fair	Fair	Poor	Poor	Good	Fair	Poor	
I20A:												
Foxlake	75	Fair	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	
I21A:												
Fram	85											




Red Lake County, Minnesota

Mara asserbal	Dat at			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I22A:												
Glyndon	75	Good	Good	Good	Fair	Poor	Poor	Poor				
I23A: Glyndon	75	Good	Good	Good	Fair	Fair	Poor	Poor	Good	Fair	Poor	
I24A: Grimstad	70	Good	Good	Fair	Fair	Fair	Fair	Poor	Fair	Fair	Poor	
I25A: Hamar	75	Poor	Good	Fair	Good	Fair	Fair	Fair	Fair	Fair	Fair	
I26A: Hamerly	75											
I27A: Hamre	80	Poor	Fair	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I28A: Hangaard	75	Poor	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good	
I29A: Hattie	75	Fair	Good	Fair	Fair	Good	Very poor	Very poor	Fair	Good	Very poor	
I29D: Hattie	85	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Good	Very poor	
I30A: Hedman	85	Good	Good	Fair	Fair	Poor	Good	Good	Good	Fair	Fair	



This report shows only the major soils in each map unit

	5. (Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I31A:												
Hedman	50	Good	Good	Fair	Fair	Poor	Good	Good	Good	Fair	Fair	
Fram	40											
I32A:												
Hilaire	75	Good	Good	Good	Fair	Fair	Poor	Poor	Fair	Fair	Poor	
I33A:												
Hilaire	75	Fair	Good	Good	Fair	Fair	Poor	Poor	Good	Fair	Poor	
I34A:												
Huot	75	Good	Good	Fair	Fair	Fair	Poor	Poor	Good	Fair	Fair	
1054												
I35A: Karlsruhe	70	Fair	Good	Good	Fair	Fair	Fair	Poor	Good	Fair	Poor	
1004												
I36A: Kittson	70	Good	Good	Good	Fair	Fair	Poor	Poor	Good	Fair	Poor	
I37A: Kratka, depressional	45	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
rtratita, aopressional	40	1 001	1 001	1 001	1 001	1 001	0000	Coou	1 001	1 001	Cood	
Strathcona, depressional	45	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I38A:												
Kratka	70	Fair	Good	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair	



Management	Datat			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I39A:												
Linveldt	65	Fair	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor	
I40B: Maddock	75	Fair	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
I40F: Maddock	90											
I41A: Markey	80	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good	
I42A: Markey, ponded	85	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good	
I43A: Mavie	70	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good	
I44A: Newfolden	75	Good	Good	Good	Good	Fair	Poor	Poor	Good	Fair	Poor	
I45A: Northwood	75	Very poor	Very poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
I46A: Pits	85											
I47A: Poppleton	75	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor	



				Potenti	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
											_	
I48A:												
Radium	75	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor	
I49A:												
Rauville	80	Very poor	Poor	Poor	Poor	Poor	Good	Good	Very poor	Poor	Good	
I50A:												
Reiner	70	Good	Good	Good	Good	Good	Poor	Poor	Fair	Fair	Poor	
I51A: Reiner	65	Good	Good	Good	Good	Good	Poor	Poor	Fair	Fair	Poor	
remor	03	Coou	Cood	Coou	Coou	0000	1 001	1 001	1 411	run	1 001	
I52A:		Fair	E.:	E-1-	D	E-:-	0 1	0 1	5 -1-	D	0 1	
Reis	55	Fair	Fair	Fair	Poor	Fair	Good	Good	Fair	Poor	Good	
Clearwater	30	Poor	Poor	Fair	Fair	Fair	Good	Good	Good	Fair	Good	
I53A:												
Roliss	75	Fair	Good	Fair	Fair	Fair	Good	Fair	Good	Fair	Fair	
I54A: Roliss, depressional	80	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good	
	00											
I55A:	75	Foi:	Foir	Fo:∗	Foir	Fair.	Cood	Cood	Foir	Foir.	Cood	
Rosewood	75	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
I56A:												
Rosewood	50	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	



	Pct. of			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I56A:												
Venlo	40											
I57B:												
Sandberg	50	Poor	Fair	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
Radium	25	Poor	Fair	Good	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor	
I58A:												
Seelyeville	90	Very poor	Fair	Poor	Poor	Poor	Good	Good	Good	Poor	Good	
I59A:												
Smiley	65	Fair	Good	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair	
I60A:												
Smiley, depressional	80	Poor	Poor	Fair	Poor	Poor	Good	Poor	Poor	Poor	Good	
I61A:												
Strandquist	70	Fair	Fair	Fair	Fair	Poor	Good	Good	Good	Fair	Good	
I62A:												
Syrene	70	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good	
I63A:												
Thiefriver	70	Fair	Good	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
I64A:												
Ulen	70	Fair	Good	Good	Fair	Poor	Poor	Poor	Fair	Fair	Poor	



Management	Pct. of			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
I65A:												
Ulen	70	Fair	Good	Good	Fair	Poor	Poor	Poor	Fair	Fair	Poor	
I66A:												
Vallers	75	Fair	Fair	Fair	Fair	Poor	Good	Good	Good	Fair	Good	
I67A: Wheatville	70	Good	Good	Good	Fair	Poor	Poor	Poor	Good	Fair	Poor	
vvricatville	70	Good	Good	Good	ı alı	1 001	1 001	1 001	Good	i ali	1 001	
I68A:												
Wheatville	70	Good	Good	Good	Fair	Poor	Poor	Poor	Good	Fair	Poor	
I69A:												
Wyandotte	65	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good	
1704												
I70A: Strathcona	70	Fair	Good	Fair	Fair	Fair	Good	Good	Fair	Fair	Good	
M-W:												
Water, miscellaneous	100											
W:												
Water	100											

